

Curaleaf LLC
34 Hopmeadow Street
Weatogue, CT, 06089

Date Received: 9/5/2025
Report Date: 9/11/2025
NELabs Report ID: 2598744-05

250819G-SY-P1

Biotrack ID: F1 Slippery Susan 1g Preroll Packaged Units

1537 2305 7773 7220

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)*	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.49	4.4
CBG	<LOQ	<LOQ
CBD	-	-
THCV	-	-
CBN	-	-
Δ^9 THC	1.16	10.5
Δ^8 THC	-	-
CBL	-	-
THCA	23.05	208.8
CBC	-	-
Total Cannabinoids	24.70	223.7
Total THC % <small>(0.877*THCA)+THC</small>	21.37	

Terpenes	By GC - MS
	Results (% w/w)*
α -Pinene	0.02
Camphene	0.01
β -Myrcene	0.04
β -Pinene	0.02
δ -3-Carene	-
Limonene	0.07
p-Cymene	-
α -Terpinolene	-
Linalool	0.04
Caryophyllene	0.51
α -Humulene	0.16
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	0.87

* % by dry weight

Moisture	Results
Water Content (% w/w)	9.4
Water Activity (Aw)	0.51



Curaleaf LLC
 34 Hopmeadow Street
 Weatogue, CT, 06089

Date Received: 9/5/2025
 Report Date: 9/11/2025
 NELabs Report ID: 2598744-05

250819G-SY-P1

Biotrack ID: F1 Slippery Susan 1g Preroll Packaged Units

1537 2305 7773 7220

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 9/5/2025

DATE 9/11/2025	Reviewed by  Garrett Johnson, QA/QC	Released by  Zachary Cannone, Laboratory Director
--------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
 Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

