

Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 11/7/2025
Report Date: 11/12/2025
NELabs Report ID: 2599555-01

Spearmint Lucky Spritz 0046

Biotrack ID: Spearmint Lucky Spritz 0046

5024 0855 9592 4056

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	N/A	N/A	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	0.021	2.1
CBD	0.017	1.7
THCV	0.011	1.1
CBN	<LOQ	<LOQ
Δ^9 THC	0.835	84.0
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	0.884	88.9
Total THC % <small>(0.877*THCA)+THC</small>	0.835	

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	0.10
Camphene	0.01
β -Myrcene	0.04
β -Pinene	0.10
δ -3-Carene	0.02
Limonene	1.79
p-Cymene	-
α -Terpinolene	0.01
Linalool	-
Caryophyllene	0.03
α -Humulene	-
α -Bisabolol	-
Terpinene (total)	0.02
Ocimene (total)	0.08
Nerolidol (total)	-
Total Terpenes	2.20



Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 11/7/2025
Report Date: 11/12/2025
NELabs Report ID: 2599555-01

Spearmint Lucky Spritz 0046

Biotrack ID: Spearmint Lucky Spritz 0046

5024 0855 9592 4056

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 11/7/2025

DATE 11/12/2025	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
---------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

