

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 7/18/2025
Report Date: 7/24/2025
NELabs Report ID: 2598113-02

250715D-DP-B2

Biotrack ID: Durban Poison Briq-2.0g

5079 4573 1167 2599

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	
	Results (% w/w)	Dosing (mg/package)
CBDV		
CBDA		
CBGA		
CBG	2.83	56.6
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	1.07	21.4
Δ ⁹ THC	87.83	1756.6
Δ ⁸ THC		
CBL		
THCA		
CBC	1.08	21.6
Total Cannabinoids	92.81	1856.2
Total THC % <small>(0.877*THCA)+THC</small>	87.83	

Terpenes	By GC - MS
	Results (% w/w)
α-Pinene	0.16
Camphene	
β-Myrcene	0.48
β-Pinene	0.16
δ-3-Carene	0.09
Limonene	0.34
p-Cymene	
α-Terpinolene	2.74
Linalool	0.09
Caryophyllene	0.40
α-Humulene	0.09
α-Bisabolol	
Terpinene (total)	0.15
Ocimene (total)	1.56
Nerolidol (total)	
Total Terpenes	6.26



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 7/18/2025
Report Date: 7/24/2025
NELabs Report ID: 2598113-02

250715D-DP-B2

Biotrack ID: Durban Poison Briq-2.0g

5079 4573 1167 2599

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		



Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/18/2025

DATE 7/24/2025	Reviewed by  Garrett Johnson, QA/QC	Released by  Zachary Cannone, Laboratory Director
------------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

