

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 2/6/2026
Report Date: 2/11/2026
NELabs Report ID: 26100478-01

360X RSO Syringe 41662

Biotrack ID: 360X RSO Syringe 41662

8891 4944 4455 6793

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC Dosing (mg)		
	Results (% w/w)	(per serving)	(Per Package)
CBDV	-	-	-
CBDA	-	-	-
CBGA	-	-	-
CBG	2.21	2.2	22.1
CBD	<LOQ	<LOQ	<LOQ
THCV	1.39	1.39	13.9
CBN	<LOQ	<LOQ	<LOQ
Δ^9 THC	81.34	81.3	813.4
Δ^8 THC	-	-	-
CBL	-	-	-
THCA	-	-	-
CBC	0.85	0.85	8.5
Total Cannabinoids	85.79	85.79	857.9
Total THC % <small>(0.877*THCA)+THC</small>	81.34		

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	-
Camphene	-
β -Myrcene	0.09
β -Pinene	-
δ -3-Carene	-
Limonene	0.18
p-Cymene	-
α -Terpinolene	-
Linalool	0.41
Caryophyllene	1.07
α -Humulene	0.45
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	2.20



Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 2/6/2026
Report Date: 2/11/2026
NELabs Report ID: 26100478-01

360X RSO Syringe 41662

Biotrack ID: 360X RSO Syringe 41662

8891 4944 4455 6793

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 2/6/2026

DATE 2/11/2026	Reviewed by <i>Selena Anderson</i>	Released by <i>Zachary Cannone</i>
	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

