

Curaleaf LLC  
34 Hopmeadow St.  
Weatogue, CT 06089

Date Received: 3/2/2026  
Report Date: 3/5/2026  
NELabs Report ID: 26100657-01

**260211S-DOO**

Biotrack ID: Dash of Orange Squeeze

7079 9291 1459 7727

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	0.008	3.4
CBD	-	-
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
$\Delta^9$ THC	0.233	98.0
$\Delta^8$ THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	<b>0.241</b>	<b>101.4</b>
Total THC % $(_{0.877*THCA}+THC)$	<b>0.233</b>	

Terpenes	Results (% w/w)
$\alpha$ -Pinene	-
Camphene	-
$\beta$ -Myrcene	0.01
$\beta$ -Pinene	-
$\delta$ -3-Carene	-
Limonene	0.20
p-Cymene	-
$\alpha$ -Terpinolene	0.01
Linalool	0.02
Caryophyllene	-
$\alpha$ -Humulene	-
$\alpha$ -Bisabolol	-
Terpinene (total)	0.01
Ocimene (total)	0.02
Nerolidol (total)	-
Total Terpenes	<b>0.27</b>

### Edible Dosing

### Results

Average weight	42.6000
THC (mg)	98.0



Curaleaf LLC  
34 Hopmeadow St.  
Weatogue, CT 06089

Date Received: 3/2/2026  
Report Date: 3/5/2026  
NELabs Report ID: 26100657-01

**260211S-DOO**

Biotrack ID: Dash of Orange Squeeze

7079 9291 1459 7727

Pesticides	Results	Limits	Methods
Per Sample $\geq$ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

  

Mycotoxins	Results ( $\mu\text{g}/\text{kg}$ )	Limits ( $\mu\text{g}/\text{kg}$ )	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

  

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

  

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/2/2026

<b>DATE</b> 3/5/2026	<b>Reviewed by</b> <i>Selena Anderson</i> Selena Anderson, QA/QC	<b>Released by</b> <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).  
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

