

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 4/28/2026
Report Date: 5/1/2026
NELabs Report ID: 26101295-02

Jellyburg 2g Fatboy 41917

Biotrack ID: Jellyburg 2g Fatboy 41917

4914 1395 7910 4134

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	300	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	2,900	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.38	7.0
CBG	0.67	12.3
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	0.38	7.0
Δ ⁹ THC	22.43	412.7
Δ ⁸ THC	-	-
CBL	-	-
THCA	27.17	499.9
CBC	-	-
Total Cannabinoids	51.03	938.9
Total THC %_{(0.877*THCA)+THC}	46.26	

Terpenes	Results (% w/w)*
α-Pinene	0.02
Camphene	-
β-Myrcene	0.30
β-Pinene	0.04
δ-3-Carene	-
Limonene	0.30
p-Cymene	-
α-Terpinolene	0.11
Linalool	0.27
Caryophyllene	0.53
α-Humulene	0.21
α-Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.08
Nerolidol (total)	0.04
Total Terpenes	1.90

* % by dry weight

Moisture

Results

Water Content (% w/w)	8.0
Water Activity (Aw)	0.44



Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 4/28/2026
Report Date: 5/1/2026
NELabs Report ID: 26101295-02

Jellyburg 2g Fatboy 41917

Biotrack ID: Jellyburg 2g Fatboy 41917

4914 1395 7910 4134

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 4/28/2026

DATE 5/1/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

