

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 3/31/2026
Report Date: 4/6/2026
NELabs Report ID: 26100993-01

62AB41F

Biotrack ID: FG Flower, 3.5g - Appz and Bnz

1653 1916 9778 5194

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	850	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.76	22.9
CBG	<LOQ	<LOQ
CBD	-	-
THCV	-	-
CBN	-	-
Δ^9 THC	1.24	37.3
Δ^8 THC	-	-
CBL	-	-
THCA	27.97	841.9
CBC	-	-
Total Cannabinoids	29.97	902.1
Total THC % $(_{(0.877 \cdot \text{THCA}) + \text{THC}}$	25.77	

Terpenes	Results (% w/w)*
α -Pinene	0.28
Camphene	-
β -Myrcene	1.22
β -Pinene	0.10
δ -3-Carene	-
Limonene	0.12
p-Cymene	-
α -Terpinolene	-
Linalool	0.24
Caryophyllene	0.41
α -Humulene	0.18
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.58
Nerolidol (total)	-
Total Terpenes	3.13

* % by dry weight

Moisture

Results

Water Content (% w/w)	14.0
Water Activity (Aw)	0.60



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 3/31/2026
Report Date: 4/6/2026
NELabs Report ID: 26100993-01

62AB41F

Biotrack ID: FG Flower, 3.5g - Appz and Bnz

1653 1916 9778 5194

Pesticides	Results	Limits	Methods
Per Sample \geq 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results ($\mu\text{g}/\text{kg}$)	Limits ($\mu\text{g}/\text{kg}$)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/31/2026

DATE 4/6/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

