

Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 6/10/2026
Report Date: 6/15/2026
NELabs Report ID: 26101836-01

Medium Strength Savoti Capsules 42044

Biotrack ID: Medium Strength Savoti Capsules 42044

9773 8726 7339 9547

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	N/A	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC		Dosing (mg)	
Cannabinoids	Results (% w/w)	(per serving)	(Per Package)
CBDV	-	-	-
CBDA	-	-	-
CBGA	-	-	-
CBG	0.39	1.6	16.0
CBD	<LOQ	<LOQ	<LOQ
THCV	<LOQ	<LOQ	<LOQ
CBN	<LOQ	<LOQ	<LOQ
Δ^9 THC	10.50	42.7	427.0
Δ^8 THC	-	-	-
CBL	-	-	-
THCA	-	-	-
CBC	-	-	-
Total Cannabinoids	10.89	44.3	443.0
Total THC % (0.877*THCA)+THC	10.50		

By GC - MS	
Terpenes	Results (% w/w)
α -Pinene	-
Camphene	-
β -Myrcene	-
β -Pinene	-
δ -3-Carene	-
Limonene	-
p-Cymene	-
α -Terpinolene	-
Linalool	-
Caryophyllene	-
α -Humulene	-
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	Below Detection

Average Wt.	Results
Average wt. (per capsule)	0.4063
Average wt. (10 capsules)	4.063



Theraplant
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 6/10/2026
Report Date: 6/15/2026
NELabs Report ID: 26101836-01

Medium Strength Savoti Capsules 42044

Biotrack ID: Medium Strength Savoti Capsules 42044

9773 8726 7339 9547

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 6/10/2026

DATE	Reviewed by	Released by
6/15/2026	<i>Selena Anderson</i>	<i>Zachary Cannone</i>
	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

