

Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 7/23/2026
Report Date: 7/28/2026
NELabs Report ID: 26102389-02

260717DF-DI-B1

Biotrack ID: Dosido Briq 2.0-1g Packaged Units

5087 4506 8224 4700

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.43	24.3
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	88.05	880.5
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	1.03	10.3
Total Cannabinoids	91.51	915.1
Total THC % (0.877*THCA)+THC	88.05	

Terpenes	Results (% w/w)
α -Pinene	0.42
Camphene	0.04
β -Myrcene	0.35
β -Pinene	0.26
δ -3-Carene	-
Limonene	2.09
p-Cymene	-
α -Terpinolene	0.11
Linalool	0.17
Caryophyllene	0.95
α -Humulene	0.28
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	1.97
Nerolidol (total)	-
Total Terpenes	6.64



Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 7/23/2026
Report Date: 7/28/2026
NELabs Report ID: 26102389-02

260717DF-DI-B1

Biotrack ID: Dosido Briq 2.0-1g Packaged Units

5087 4506 8224 4700

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/23/2026

DATE 7/28/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

